



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

5-Aug-2015
Page 1 of 1

Report For: OSA 28
1201 Fall River Ave.
Seekonk, MA 02771-5924
Attn: Donny Nunez

Sample Identification:

OSA 28

Date Received: 24-Jul-2015

Laboratory Number: 383094-1

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units
JAOAC, Vol. #96, #2, 2013	Silicon, Soluble (Si)	1.06	%

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

5-Aug-2015
Page 1 of 1

Report For: OSA 28
1201 Fall River Ave.
Seekonk, MA 02771-5924
Attn: Donny Nunez

Sample Identification:

Vitalize 0-3-1

Date Received: 24-Jul-2015

Laboratory Number: 383097

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units
JAOAC, Vol. #96, #2, 2013	Silicon, Soluble (Si)	0.94	%

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

14-Sep-2015
Page 1 of 1

Report For: OSA 28
1201 Fall River Ave.
Seekonk, MA 02771-5924
Attn: Donny Nunez

Sample Identification:

POWER SI

Date Received: 19-Aug-2015

Laboratory Number: 383733A

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units
JAOAC, Vol. #96, #2, 2013	Silicon, Soluble (Si)	0.88	%

THORNTON LABORATORIES
Steve Fickett, III



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

5-Aug-2015
Page 1 of 1

Report For: OSA 28
1201 Fall River Ave.
Seekonk, MA 02771-5924
Attn: Donny Nunez

Sample Identification:

Fasilitator True Plant Science

Date Received: 24-Jul-2015

Laboratory Number: 383096

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units
JAOAC, Vol. #96, #2, 2013	Silicon, Soluble (Si)	0.85	%

THORNTON LABORATORIES
Steve Fickett, III